



*Affordable + quality
irrigation supplies*

Local is lekker

2025 Catalogue

Manufacturers of **#Afrig Drip** dripline systems
& Quick Coupling HDPE Sprinkler Systems
Suppliers of Rain Hose, Irrigation Filters & Fertilizer Systems



Please note!

We are not an irrigation shop. We are not open to the public.

We are primarily an irrigation manufacturer and supplier. The majority of our products are distributed through Irrigation Unlimited, one of the leading irrigation suppliers in Southern Africa, directly to Co-Ops and irrigation shops all over Southern Africa.

The items that are not available through Irrigation Unlimited, such as our orange sprinkler heads, do not have a banner that says 'Afriq Water proudly distributed by IU'

Our catalogue T&C's

Prices excludes delivery

Returns

A 15% handling charge will be levied on all returns. Transport costs are also for the account of the buyer.

Risk

The risk in the products to be sold by the company shall pass to the purchaser when the products are delivered to the purchaser, or received by the purchaser.

Date of Price List

If the price list is older than 2 weeks, you should enquire about the validity thereof. Once an updated pricelist is loaded onto our website, that price is considered the most recent and up-to-date price.

Own risk

It is recommended and beneficial to review your quotation in detail, to ensure we have met all of your requirements.

- ◆ All prices includes VAT.
- ◆ E & OE (Errors & Omissions Expected).
- ◆ Lead times are subject to change without prior notice.
- ◆ Please place your orders early to ensure timeous delivery.
- ◆ EFT Payments should reflect and be cleared by our accounts department before any goods can be scheduled.

Validity

This catalogue is only valid as long as it is the most recent upload on www.afriqwater.co.za. Prices are subject to change without notice, and Afriq Water maintains the right to charge most recent up-to-date prices on official documentation.

Our important info

Our banking details are to be found at the top left of our documents. These banking details will NOT change without prior notice in written form directly on our letterhead.

Afriq Water's account ends in 5810
Afriq Irripipe's account ends in 2036

Afriq Water Management (Pty) Ltd.

VAT no: 4200269639 | Exporters Code: 21532648 | Reg. no: 2015/103339/07

Afriq Irripipe (Pty) Ltd.

VAT no: 4740293214 | Exporters Code: 25094233 | Reg. no: 2020/539256/07

Directors: Wynand Ueckermann & Helana Ueckermann
Plot 69 Stillhou Street Marabeth Tarlton Krugersdorp Gauteng 1739

Attention: Retailers

We highly recommend contacting Irrigation Unlimited directly for any reseller opportunities. Irrigation Unlimited is one of Southern Africa's largest suppliers of irrigation materials. Their transport policies and service are unrivalled.

We are incredibly proud to form part of their supplier list, and stand behind their ethics and people completely.

Visit their website to learn more, www.iunlimited.co.za



Contact us



+27 61 502 2547



admin@afriqwater.co.za



www.afriqwater.co.za

Afriq Water is K-Rain's distributor and warehousing partner in South Africa. K-Rain is one of the world's largest manufacturers of irrigation rotors, sprays, valves, and controllers. K-Rain Irrigation is ideal for residential, commercial, and sports turf applications.

www.afriqwater.co.za

K-Rain Garden Irrigation





Please Note

We can't offer technical help on the K-Rain range, but you can use the code of the product to search for info on it on the K-Rain site, www.krain.com

K-Rain Prices

K-Rain Controllers

Code	Stations	Type	Indoor / Outdoor	Excl. Price	Incl. Price	
3504-220	4	RPS46	Indoor	R 923.14	R 1 061.61	
3506-220	6			R 969.00	R 1 114.35	
3104ID-220	4	PRO LC		R 1 406.43	R 1 617.39	
3108ID-220	8			R 1 850.00	R 2 127.50	
3112ID-220	12			R 2 610.00	R 3 001.50	
3104WID-220	4	PRO LC Wi-Fi Ready		R 1 585.71	R 1 823.57	
3108WID-220	8			R 2 021.43	R 2 324.64	
3112WID-220	12			R 2 814.29	R 3 236.43	
3104-220	4	PRO LC		Outdoor	R 1 469.29	R 1 689.68
3108-220	8				R 1 807.14	R 2 078.21
3112-220	12				R 2 821.43	R 3 244.64
3104W-220	4	PRO LC Wi-Fi Ready			R 1 657.14	R 1 905.71
3108W-220	8				R 2 071.43	R 2 382.14
3112W-220	12				R 2 928.57	R 3 367.86
3202-220	4	PRO EX 2.0 (Wi-Fi-Ready)	R 2 678.57		R 3 080.36	
3924-220	24	RPS624	R 7 296.99		R 8 391.54	
BLUE-1	1	Wireless Bluetooth (Battery-Powered)	R 2 081.51		R 2 393.74	
BLUE-4	4		R 3 747.14		R 4 309.21	
3400-220	99 Zones	Sitemaster 220VAC 2-Wire Decoder	R 26 155.71		R 30 079.07	

K-Rain Controller Accessories

Code	For	Description	Excl. Price	Incl. Price
3205	PRO EX2.0	4 Station Extension Module	R 760.00	R 874.00
3205-14		14 Station Extension Module	R 3 474.29	R 3 995.43
3206		Optional RF Module	R 1 378.57	R 1 585.36
3209		Optional Wi-Fi Hub	R 2 092.86	R 2 406.79
3100-BRIDGE	PRO LC	Wi-Fi Bridge	R 1 997.14	R 2 296.71
3401	Sitemaster	Single Station Controller	R 2 278.57	R 2 620.36
3402		Surge Protector Decoder	R 1 092.86	R 1 256.79
3208-HRS	ALL	Rain Sensor for All Controllers	R 464.29	R 533.93





K-Rain Irrigation Prices

K-Rain Rotors

Code	Specifications	Excl. Price	Incl. Price
------	----------------	-------------	-------------

RPS75

RPS75	Inlet F Thread BSP	1.9 cm / 3/4"	Retracted Height	18.7 cm	R 178.57	R 205.36
	Nozzles	1 Installed + 11	Shrub Height	19.0 cm		
	Arc Adj Range	40° - 360°	Riser Height	11.1 cm		
	Flow Range	2.6 - 31 ℓ p/m	Pressure Rating	1.4 - 4.8 BAR		
	Spray Radius	6.7 - 15.5 m	Nozzle Trajectory	26°. Low 11°		

RPS75 SELECT

60003	Inlet F Thread NPT	1.9 cm / 3/4"	Retracted Height	18.7 cm	R 228.21	R 262.44
	Nozzles	4 Pre-Installed	Shrub Height	16.8 cm		
	Arc Adj Range	40° - 360°	Riser Height	11.1 cm		
	Flow Range	4.9 - 25.8 ℓ p/m	Pressure Rating	2.1 - 4.8 BAR		
	Spray Radius	10 - 14 m	Percipitation Rate	6 - 20 mm/hr		

MINI PRO GEAR-DRIVE SPRINKLER

13003	Inlet F Thread BSP	1.3 cm / 1/2"	Retracted Height	15.2 cm	R 179.64	R 206.59
	Nozzles	1 Installed + 4	Riser Height	10.2 cm		
	Arc Adj Range	40° - 360°	Nozzle Trajectory	26°		
	Flow Range	3 - 14.4 ℓ p/m	Pressure Rating	1.4 - 4.8 BAR		
	Spray Radius	5.5 - 10.1 m	Percipitation Rate	6.6 - 15.24 mm/hr		

SUPER PRO WITH INTELLIGENT FLOW GEAR DRIVEN SPRINKLER

10003	Inlet F Thread BSP	1.9 cm / 3/4"	Retracted Height	19.05 cm	R 252.14	R 289.96
	Nozzles	1 Installed + 12	Riser Height	10.79 cm		
	Arc Adj Range	40° - 360°	Nozzle Trajectory	26°		
	Flow Range	4.1 - 42 ℓ p/m	Pressure Rating	1.4 - 4.8 BAR		
	Spray Radius	7 - 14 m	Percipitation Rate	5.39 - 30.89 mm/hr		

10003-SH	With Shrub Head			R 278.57	R 320.36
----------	-----------------	--	--	----------	----------

PRO SPORT 4" WITH BSP THREAD

14003-BSP	Inlet F Thread BSP	1"	Retracted Height	19.05 cm	R 770.00	R 885.50
	Nozzles	1 Installed + 12	Riser Height	10.79 cm		
	Arc Adj Range	40° - 360°	Nozzle Trajectory	26°		
	Flow Range	4.1 - 42 ℓ p/m	Pressure Rating	1.4 - 4.8 BAR		
	Spray Radius	7 - 14 m	Percipitation Rate	5.39 - 30.89 mm/hr		

14003-BSP-SS	Stainless Steel Unit			R 957.14	R1 100.71
--------------	----------------------	--	--	----------	-----------

K1 SMART SET GEAR DRIVE SPRINKLER

31031	Inlet F Thread BSP	1.3 cm / 1/2"	Area Covered	2.78 m ²	R 195.71	R 225.07
	Distance Adj.	Turnable Screw	Riser Height	10 cm		
	Spray Radius	4.5 - 19.1 m	Arc Adj Range	40° - 360°		





K-Rain Rotors Continued

Code	Specifications	Excl. Price	Incl. Price
------	----------------	-------------	-------------

K2 PRO

10031	Inlet F Thread BSP	1.9 cm / 3/4"	Retracted Height	19 cm	R 267.14	R 307.21
	Nozzles	1 Pre-Installed	Shrub Height	N/A. Pop-Up		
	Arc Adj Range	90° - 360°	Riser Height	12.7 cm		
	Flow Range	4 - 42 l p/m	Pressure Rating	2 - 4 BAR		
	Spray Radius	5.5 - 12 m	Percipitation Rate	7 - 17 mm/hr		

DIY K5 SELECT

61031	Inlet F Thread NPT	1.9 cm / 3/4"	Pressure Rating	2 - 3.4 BAR	R 276.93	R 318.47
	Nozzles	4 Pre-Installed	Water-Saving Rate	30% Compared to other rotor systems		
	Arc Adj Range	40° - 360°				
	Flow Range	2.6 - 31 l p/m				
	Spray Radius	10 - 14 m				

DIY K5 GEAR DRIVE SPRINKLER

15103	Inlet F Thread BSP	1.9 cm / 3/4"	Riser Height	10 cm	R 227.07	R 261.13
	Spray Radius	6 - 16.7 m	Arc Adj Range	40° - 360°		

K-Rain Rotor Replacement / Spare Parts / Keys

Code	For	Excl. Price	Incl. Price
P100901	RPS75 DIY K5 Gear Drive - 15103	R 15.50	R 17.83
P100902	PRO-SPORT 14003-BSP & 14003-BSP-SS RPS SELECT - 60003 SUPER PRO 10003 & 10003-SH DIY K5 Gear Drive - 15103	R 16.43	R 18.89
P59995	MINI PRO 13003 K ROTORS (K1 31031 & K2 10031 & K5 61031)	R 16.43	R 18.89

ELECTRIC VALVES

Code	Specifications	Excl. Price	Incl. Price
------	----------------	-------------	-------------

PRO SERIES 100 VALVE

24V AC 60 Cycle Solenoid | Inrush Current 0.43 Amps | Holding Current 0.25 Amps

7001-BSP	Female BSP	2.5 cm / 1"	Pressure Rating	1.4 - 10.3 BAR	R 307.36	R 353.46
	Flow Control	Manual	Flow Range	18.9 - 113.6 l p/m		

PRO SERIES 150 VALVE

24V AC 60Hz Standard Solenoid | Inrush Current 0.43 Amps | Holding Current 0.25 Amps
MAX 10.3 BAR Pressure Rating

7101-BSP	Female BSP	2.5 cm / 1"	Flow Range	18.9 - 113.6 l p/m	R 283.97	R 326.57
7101-BSP-FC	PRO SERIES 150 VALVE 2.5 cm / 1" With Flow Control				R 334.63	R 384.83
7115-BSP	Female BSP	3.8 cm / 1/2"	Flow Range	75.7 - 454.2 l p/m	R 1 232.14	R 1 416.96
7102-BSP	Female BSP	5 cm / 2"	Flow Range	75.7 - 454.2 l p/m	R 1 389.64	R 1 598.09





K-Rain Sprayers

Code	Specifications				Excl. Price	Incl. Price
PRO-S						
Inlet F BSP 1.3 cm / 1/2" Pressure Rating 1.4 - 7.6 BAR Flow Range 0.76 l p/m @ 6 BAR						
78004	Type	4"	Retracted Height	15.2 cm	R 37.50	R 43.13
	Side Inlet	No	Riser Height	8.9 cm		
78012	Type	12"	Retracted Height	40.6 cm	R 193.93	R 223.02
	Side Inlet	Yes	Riser Height	29.2 cm		
24151-H	Type	4" with KVF15 Noz	Retracted Height	15.2 cm	R 73.54	R 84.57
	Side Inlet	No	Riser Height	8.9 cm		
	Spray Radius	4.27 - 5.18 m	Flow Range	2.84 - 17.41 l p/m		
78000	PRO-S SPRAYERS NOZZLE GUARD (78004 / 780012 / 24151-H)				R 16.43	R 18.89

ST-IS SURE THROW IMPACT SPRINKLER PART CIRCLE

ST-IS45	Inlet F Thread NPT	1.3 cm / 1/2"	Retracted Height	23.9 cm	R 256.43	R 294.89
	Nozzles	1 Pre-Installed + 3	Riser Height	6.5 cm		
	Arc Adj Range	15° - 360°	Nozzle Trajectory	26°		
	Flow Range	7.6 - 19.9 l p/m	Pressure Rating	2 - 3.9 BAR		
	Spray Radius	11.3 - 12.8 m	Percipitation Rate	7 - 17 mm/hr		
ST-IS45-TOOL	ST-IS45 ADJUSTMENT TOOL				R 192.86	R 221.79

NARROW PROFILE (NP) SPRAYER BODIES

**Inlet F BSP 1.3 cm / 1/2" | Pressure Rating 1.4 -3.5 BAR
Ratcheting Riser | Stainless Steel Retraction Spring**

NP2	Retracted Height	10.2 cm	Riser Height	5.1 cm	R 38.21	R 43.94
NP4	Retracted Height	15.2 cm	Riser Height	9.8 cm	R 38.21	R 43.94

NARROW PROFILE (NP) 4" SPRAYERS WITH KVF NOZZLES 90° - 360°

NP4-KVF6 ●	Spray Radius	1.82 - 2.74 m	Flow Range	1.2 - 6 l p/m	R 38.93	R 44.77
NP4-KVF8 ●	Spray Radius	2.74 - 3.05 m	Flow Range	1.48 - 8.71 l p/m	R 38.93	R 44.77
NP4-KVF10 ●	Spray Radius	3.05 - 3.66 m	Flow Range	1.7 - 10.6 l p/m	R 38.93	R 44.77
NP4-KVF12 ●	Spray Radius	3.66 - 4.27 m	Flow Range	2.46 - 13.25 l p/m	R 38.93	R 44.77
NP4-KVF15 ●	Spray Radius	4.27 - 5.18 m	Flow Range	2.84 - 17.41 l p/m	R 38.93	R 44.77
NP4-KVF17 ●	Spray Radius	5.18 - 5.49 m	Flow Range	3.22 - 18.17 l p/m	R 38.93	R 44.77

K-Rain Nozzles

KVF NOZZLES 90° - 360°

Code	Specifications				Excl. Price	Incl. Price
KVF6 ●	Spray Radius	1.82 - 2.74 m	Flow Range	1.2 - 6 l p/m	R 20.64	R 23.74
KVF8 ●	Spray Radius	2.74 - 3.05 m	Flow Range	1.48 - 8.71 l p/m	R 20.64	R 23.74
KVF10 ●	Spray Radius	3.05 - 3.66 m	Flow Range	1.7 - 10.6 l p/m	R 20.64	R 23.74
KVF12 ●	Spray Radius	3.66 - 4.27 m	Flow Range	2.46 - 13.25 l p/m	R 20.64	R 23.74
KVF15 ●	Spray Radius	4.27 - 5.18 m	Flow Range	2.84 - 17.41 l p/m	R 20.64	R 23.74
KVF17 ●	Spray Radius	5.18 - 5.49 m	Flow Range	3.22 - 18.17 l p/m	R 20.64	R 23.74





K-Rain Nozzles Continued

Code	Specifications	Excl. Price	Incl. Price
------	----------------	-------------	-------------

Rotary Hand Adjustable Nozzles

Flow Control (25% Radius Reduction) 80° - 360° | Double Pop-Up System | Speed Rotation Control | Multiple Stream Technology | Low flow rate | 2.8 Recommended BAR

RN100-ADJ ●	Spray Radius	3.9 - 4.5 m	Flow Rate	0.83 - 4.50 ℓ p/m	R 126.21	R 145.14
RN200-ADJ ●	Spray Radius	4.8 - 5.7 m	Flow Rate	1.29 - 7.19 ℓ p/m	R 126.21	R 145.14
RN300-ADJ ●	Spray Radius	7.9 - 8.5 m	Flow Rate	3.03 - 14.38 ℓ p/m	R 126.21	R 145.14

Fixed Pattern Nozzles

1.5 - 2 Recommended BAR

Centre-Strip						
FN15CS	Spray Radius	1.2 - 9.1 m	Flow Rate	3 - 3.8 ℓ p/m	R 22.79	R 26.21
End-Strip						
FN15ES	Spray Radius	1.2 - 4.6 m	Flow Rate	1.5 - 1.9 ℓ p/m	R 22.79	R 26.21
Side-Strip						
FN15SS	Spray Radius	1.2 - 9.8 m	Flow Rate	4.2 - 4.9 ℓ p/m	R 22.79	R 26.21

K-Rain Installation Accessories

Code	Description	Excl. Price	Incl. Price
P3008114	9V Replacement Solenoid	R 281.79	R 324.06
P3008113	24V Replacement Solenoid	R 238.54	R 274.32
P3004750	24V Replacement Solenoid Kit for RainBird / Hunter	R 381.79	R 439.06
P513995	MINI PRO / 13003 Check Disc with Insert	R 31.29	R 35.98
P16009110	1.9 cm / 3/4" Rotor Check Disc with Insert	R 16.43	R 18.89
P53429	NP Spray Check Disc with Insert	R 19.86	R 22.84
PFSA	Adaptor Shrub with Male Thread	R 16.07	R 18.48
1522	2.2kW 220V Pump-Start Relay	R 1 292.86	R 1 486.79
TB-ADJ	Adjustable Tree Bubblers 0 - 20 ℓ p/m	R 34.20	R 39.33

